

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6360102".pn. and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 18:07
L2	2	"6769000".pn. and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 18:08
L3	1	"6574617".pn. and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 18:10
L4	1	"6574617".pn. and mobile and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 18:10
S1	2	community with SAP	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 10:44
S2	0	SAP with group with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:33
S3	658	user with group with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:34
S4	35	user with group with profile with storage	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:33
S5	73	user with group with profile with database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:34
S6	0	user with group with profile with database6 same server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:34
S7	13	(user with group with profile with database) same server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:47

S8	82	user with community with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:47
S9	269	user with community with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:47
S10	532854	(user with community with profile ) ad mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:47
S11	141	(user with community with profile ) and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:48
S12	14	((user with community with profile ) and mobile) and @ad<"20010208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:59
S13	973	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:59
S14	95	707/9.ccls. and community	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:59
S15	68	(707/9.ccls. and community) and @ad<"20010208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 10:59
S16	3	((707/9.ccls. and community) and @ad<"20010208") and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 13:57
S17	2	"6449632".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 13:57

S18	0	"6449632".pn. and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 13:57
S19	0	((using adj application) with profile with community) and @ad<"20010208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 10:48
S20	3	(using adj application) with profile with community	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 10:47
S21	0	(using adj application) with profile with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 10:47
S22	34	(using adj application) with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 10:47
S23	19	((using adj application) with profile) and @ad<"20010208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 10:48
S24	1	((((using adj application) with profile) and @ad<"20010208") and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/19 10:48
S25	129	mobile with profile with application	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:27
S26	95	(mobile with profile with application) and @ad<"20010208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:27
S27	15	mobile with profile with application with select\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:27

S28	12	(mobile with profile with application with select\$) and @ad<"20010208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:43
S29	2	"6360102".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:43
S30	1	"6360102".pn. and community	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 10:43
S31	1	"6360102".pn. and group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:53
S32	1	"6360102".pn. and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 09:55
S33	1	"6360102".pn. and communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 18:07
S34	1	"6360102".pn. and member	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 10:05
S35	2	"6360102".pn. and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 10:18
S36	0	"6360102".pn. and version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 10:18
S37	1	"6360102".pn. and updat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 10:38

S38	1	check\$ with recent with version with mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 10:39
S39	0	"6360102".pn. and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 10:45
S40	2	"20040073769"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 10:45
S41	2	"6757712".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 10:03
S42	4719	database with synchroniz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:24
S43	54	S42 with identity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:29
S44	44	S43 and @ad<"20020801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:27
S45	41	S43 and @ad<"20010208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:36
S46	461	S42 with service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:29
S47	34	S46 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:30

S48	34	S47 and (history or usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:35
S49	9	S47 and ((history or usage) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:38
S50	0	serice adj dada	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:35
S51	1	serice adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:35
S52	238	S42 and (service adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:35
S53	80	S52 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:36
S54	0	S52 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:36
S55	21	S53 and @ad<"20010208"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:36
S56	10	S55 and (usage or history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:58
S57	0	S55 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:37

S58	0	S55 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:37
S59	1	S55 and ((history or usage) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 12:38
S60	2	"6574617".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 18:08
S61	1	S60 and service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 14:57
S62	2	"6769000".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 18:08
S63	1	S60 and ("114" same "140")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:20
S64	1	S60 and verif\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:09
S65	1	S60 and synchroni\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:02
S66	1	S60 and replicated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:37
S67	1	S60 and (service with application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:45

S68	1	S60 and (service with configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:49
S69	1	S60 and (url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 15:59
S70	1	S60 and location and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:04
S71	0	S60 and location with time with information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:00
S72	1	S60 and location with information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:00
S73	1	S60 and "110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:02
S74	1	S60 and location same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:04
S75	1	S60 and location same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:06
S76	0	S60 and TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:06
S77	0	S60 and IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:06

S78	1	S60 and identified	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:08
S79	1	S60 and (history or usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:11
S80	0	S60 and configutaion same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:11
S81	1	S60 and configuration same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:21
S82	0	S60 and wndows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:21
S83	1	S60 and windows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:22
S84	2	S60 and microsoft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:43
S85	0	S60 and address with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:44
S86	1	S60 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:44